Dialy

if dai` ade` ai makee if difúcglf fadkag fa gef fa dialkeie, adif fhede'e a` afgdal dieaefed kag` eed fa hahe a bla` fa ahaid eedage bdableme. Hede ade fibe fa helb kag bdebade fada` emedge` ck.

C C fadgeffi` g fa dialkeie if kagd` admal fdahel bla` e fall fhdaggh.

ccccccci` caee kag ca`'f gef fa dialkeie. A ek kagddiefifia` fada lief af ifeme fa efack, adeee agdi ebeife, Pabedadblaefic blafee, cgbe, bai le, eafi` g gfe` eile

na`-elecfdcca` abe`ed

A Igmi` gm fail

Baffeck-abecafed dadia

Flaehlighf

ej fda baffedee

c a` dlee a` d mafchee i` i afecbdaaf ca` fai` ed

Fidefaid kif

Shacb k`ife a`d ecieeade

Pabedfai ele

Babk adea`ifadki ibee

Gadbage bage

Galla` jgge af diefilled i afed(a` e galla` bedbedea`)

Bleach a` d ekeddabbedfa bgdfk i afed(16ddabe bedgalla` af i afed)

Dialysis Connection

For a healthy

taa mgch bhaebhacg.

ie kagd` ej f efeb hame dialkeie ada fda` ebla` f?

take agdfæe claeeee fa ú`d agf


C C C

Gai` i` debe` de` ce a` d ûej ibilifk i ifh hame dialkeie. Lead made af an ej f S feb Hame Hemadialkeie ad n ej f S feb Pd claee.

C. C.

Lead abagfgeffi`ga`ei kid`ekafanejfSfebtda`ebla`fclaee.

vieif ____ c ___ fa eee a lief af all agdgbcami` g fœe claeeee.



Pafie`fKe` Hamada a`d hie i ife, Jaa`, e`jak fhe ca`he`ie` ce af hame hemadialkeie.





Jai` ge a` Facebaak a`d ti iffed Headfhe lafeef` ei e ae if habbe` e! cli`ic, i hede kag ca` bick fhem gb af kagd` ej f dialkeie hieif.

.C C C C CC

ej bedf ca` eglfafia`, eaek added`g, fdee delihedk

c 206-343-4870

cc 800-947-8902

bhadmack@`i kid`ek.adg

700Bdaadi ak..Seaffle WA 98122

Ret u Rn SeRv

206-292-2771